

Deaths

Notice: Deaths in year 2000 were coded using the new ICD-10 coding system. (see Technical Notes page 139)

There were 24,676 resident deaths recorded in Kansas during 2000, an increase of 1.2 percent from the 1999 total of 24,380. There was no change in the 2000 death rate (9.2) from the previous year. (Table 35)

Comanche, Elk, Republic and Smith counties had the highest five-year (1996-2000) county death rates of 17.7, 17.5, 17.0, and 17.0 deaths per 1,000 population respectively. Riley, Douglas, and Finney counties had the lowest five-year death rates of 4.5, 5.3, and 5.5 deaths per 1,000 population respectively. (Table 35, Figure 30)

Belleville, Eureka, and Neodesha had the highest five-year city death rates (1996-2000) of 26.8, 22.4, and 19.6 respectively. Olathe, Lawrence, Roeland Park, Shawnee and Mission Hills experienced the lowest five-year city death rates of 4.6, 4.8, 5.3, 5.3 and 5.3 respectively. (Table 36)

The Kansas death rate in 2000 was 9.2 deaths per 1,000 population, which was 5.7 percent higher than the estimated U.S. rate of 8.7 deaths per 1,000 population. (Figure 31)

The Kansas age-adjusted death rate per 1,000 standard U.S. 2000 population has been consistently below that of the U.S. during the 1990s. (Table 38, Figure 32)

The state's 2000 age-adjusted death rate for males (10.3) was 43.1 percent higher than the rate of 7.2 for females. (Table 38)

The average age at death of Kansas residents in 2000 was 74.7 years, a 2.0 percent increase from the average age at death of 73.2 years in 1990. (Figure 33, Table 39)

The average age at death for the white population in 2000 was 75.4 years, over ten years older than that of the black population, whose average age at death was 64.7 years. (Table 40)

The two leading causes of death in Kansas in 2000, heart disease and malignant neoplasms, had average ages at death of 79.5 and 71.8 years respectively. Atherosclerosis, with an average age at death of 86.6 years, had the highest average age at death of any of the leading causes of death. (Table 43)

The average age at death for male unintentional injury victims for 1990 and 2000 was 41.2 and 47.4 respectively, while for females the average age was 58.6 and 59.2 years respectively. For this time period, the average age at death increased for female unintentional injury victims 1.0 percent while for male unintentional injury victims it increased 15.0 percent. (Table 43)

The cause-specific death rate for Alzheimer's Disease in Kansas was 23.2 deaths per 100,000 population in 2000. The rate for females (31.0) was more than twice as high as the rate for males (15.3). (Table 43)

Deaths (Cont.)

The cancer death rate for 2000 was 194.0 deaths per 100,000 population, 4.2 percent lower than the rate of 202.5 in 1990. (Tables 43 and 44)

In 2000, the unintentional injury death rate was 40.2 deaths per 100,000 population, 8.4 percent higher than the rate of 37.1 in 1990. (Tables 43 and 44)

The age-adjusted death rate for the leading cause of death, heart disease, was 232.7, and for cancer, the second leading cause of death, the age-adjusted death rate was 186.7 per 100,000 standard U.S. 2000 population. Together, these two causes accounted for almost 50 percent of all Kansas resident deaths. (Table 44)

Heart disease reached a high of 393.4 deaths per 100,000 population in 1973 and gradually declined to 256.3 deaths per 100,000 population in 2000. Conversely, cancer rates steadily increased from 140.6 to 207.1 deaths per 100,000 population from 1956 to 1996, but have declined since 1996, to 194.0 in 2000. (Figure 34)

In 2000, Kansans died from cerebrovascular disease at slightly more than half the rate of forty years ago, with the death rates for this disease going from 122.2 in 1960 to 68.0 in 2000. The death rate for unintentional injury also declined, going from 57.7 in 1960 to 40.2 in 2000, a 30.3 percent decrease. (Figure 34)

In 2000, unintentional injuries were the leading cause of death for Kansas residents 1-44 years of age. (Figure 35)

In 2000, cancer of the digestive organs, respiratory and intrathoracic organs, and breast were the leading causes of cancer deaths in women. (Table 46)

The dominant occupations for deaths due to unintentional injuries and homicides were operators, fabricators and laborers. (Table 50)

Mortality in Kansas was responsible for 186,237 years of potential life lost in 2000. Cancer was the second leading cause of death in Kansas, but accounted for the most years of potential life lost (41,163). Unintentional injuries represented over two times the years of potential life lost among men (19,335 years) compared to women (9,476 years). (Table 52, Figure 36)

Death Rates By County Of Residence Kansas, 2000




Figure 30

Table 35
Deaths By Number And Rate*
By County Of Residence And By Peer Group**
Kansas, 1996-2000

County of Residence	Year										5-Year Rate
	1996		1997		1998		1999		2000		
	Number	Rate									
Kansas.....	23,788	9.2	23,609	9.1	23,928	9.1	24,380	9.2	24,676	9.2	9.2
Allen.....	177	12.1	183	12.7	183	12.6	195	13.5	169	11.7	12.5
Anderson.....	104	12.9	99	12.3	103	12.8	91	11.2	104	12.8	12.4
Atchison.....	170	10.5	181	11.1	203	12.0	190	11.3	183	10.9	11.2
Barber.....	95	17.3	88	16.3	93	17.4	74	14.1	73	13.8	15.8
Barton.....	305	10.9	302	10.8	311	11.3	350	12.2	351	12.4	11.5
Bourbon.....	216	14.2	210	13.8	222	14.5	196	13.1	221	14.4	14.0
Brown.....	169	15.4	160	14.5	151	13.6	134	12.3	135	12.6	13.7
Butler.....	479	8.1	474	7.9	482	7.8	512	8.2	580	9.8	8.4
Chase.....	45	15.6	39	13.5	46	15.6	53	18.6	37	12.2	15.1
Chautauqua.....	50	11.4	85	19.3	68	15.6	56	13.1	65	14.9	14.9
Cherokee.....	282	12.5	280	12.4	274	12.1	259	11.6	281	12.4	12.2
Cheyenne.....	39	12.1	40	12.5	42	13.2	33	10.2	43	13.6	12.3
Clark.....	37	15.5	41	16.8	42	17.8	37	15.8	27	11.3	15.4
Clay.....	117	12.6	145	15.7	118	12.9	117	13.0	107	12.1	13.3
Cloud.....	179	17.5	146	14.3	161	16.1	150	15.0	175	17.0	16.0
Coffey.....	94	10.8	97	11.1	106	12.2	84	9.6	94	10.6	10.9
Comanche.....	40	19.3	49	24.2	18	8.9	40	20.5	31	15.8	17.7
Cowley.....	399	10.8	406	11.1	405	11.2	475	12.9	439	12.1	11.6
Crawford.....	467	12.9	465	12.9	479	13.2	456	12.5	483	12.6	12.8
Decatur.....	60	17.0	64	18.1	58	16.8	49	14.5	47	13.5	16.0
Dickinson.....	222	11.2	232	11.8	270	13.7	274	13.9	226	11.7	12.5
Doniphan.....	82	10.6	84	11.0	87	11.1	82	10.3	108	13.1	11.2
Douglas.....	518	5.8	439	4.8	514	5.5	498	5.1	538	5.4	5.3
Edwards.....	61	17.6	46	13.4	57	17.2	56	17.1	45	13.0	15.7
Elk.....	62	18.3	36	10.7	57	17.0	65	19.2	72	22.1	17.5
Ellis.....	246	9.4	225	8.5	240	9.1	241	9.2	229	8.3	8.9
Ellsworth.....	82	12.9	100	15.9	91	14.5	70	11.3	103	15.8	14.1
Finney.....	200	5.6	195	5.4	212	5.8	193	5.2	225	5.6	5.5
Ford.....	250	8.5	259	8.9	244	8.3	274	9.3	262	8.1	8.6
Franklin.....	257	10.9	296	12.4	271	10.9	231	9.2	245	9.9	10.7
Geary.....	179	6.8	182	7.2	232	9.1	229	9.2	197	7.0	7.9
Gove.....	34	11.0	46	14.9	45	14.7	48	15.9	32	10.4	13.4
Graham.....	51	15.6	36	11.1	41	12.8	38	12.2	43	14.6	13.3
Grant.....	44	5.7	60	7.6	59	7.4	51	6.5	64	8.1	7.1
Gray.....	42	7.6	48	8.7	54	9.7	34	6.1	56	9.5	8.3
Greeley.....	23	13.1	23	13.3	24	14.1	13	7.9	19	12.4	12.2
Greenwood.....	122	15.1	131	16.3	146	17.9	136	17.1	113	14.7	16.2
Hamilton.....	26	11.3	29	12.7	30	12.8	32	13.5	31	11.6	12.4
Harper.....	104	15.9	119	18.3	81	12.6	108	17.1	107	16.4	16.1
Harvey.....	324	10.4	339	10.7	344	10.0	353	10.3	367	11.2	10.5
Haskell.....	20	5.1	24	6.0	22	5.5	38	9.4	30	7.0	6.6
Hodgeman.....	28	12.6	24	10.8	25	11.3	25	11.2	14	6.7	10.5
Jackson.....	110	9.2	154	12.8	141	11.6	144	11.8	130	10.3	11.1
Jefferson.....	161	9.2	165	9.2	126	6.9	166	9.1	160	8.7	8.6
Jewell.....	60	15.0	52	13.1	52	13.4	66	17.4	67	17.7	15.3
Johnson.....	2,347	5.7	2,327	5.6	2,455	5.7	2,689	6.1	2,661	5.9	5.8
Keamy.....	25	5.9	46	11.0	29	6.9	48	11.6	38	8.4	8.8
Kingman.....	105	12.3	100	11.7	86	10.1	122	14.1	99	11.4	11.9
Kiowa.....	29	8.1	35	10.2	38	11.0	45	13.4	42	12.8	11.1
Labette.....	320	14.0	284	12.4	298	12.9	276	12.0	324	14.2	13.1
Lane.....	13	5.9	15	6.9	25	11.0	35	16.1	20	9.3	9.8
Leavenworth.....	493	7.1	488	7.0	508	7.1	518	7.2	443	6.4	7.0
Lincoln.....	47	13.9	48	14.4	58	17.4	48	14.4	54	15.1	15.0
Linn.....	130	14.5	121	13.3	122	13.3	130	14.0	114	11.9	13.4
Logan.....	36	11.6	45	14.8	36	12.1	37	12.6	50	16.4	13.5

Table 35
Deaths By Number And Rate*
By County Of Residence And By Peer Group**
Kansas, 1996-2000

County of Residence	Year										5-Year Rate	
	1996		1997		1998		1999		2000			
	Number	Rate										
Lyon.....	331	9.6	293	8.6	294	8.7	280	8.3	323	9.0	8.8	
Marion.....	189	14.7	168	13.0	173	12.7	188	13.9	210	15.7	14.0	
Marshall.....	172	15.2	174	15.6	164	14.9	155	14.2	139	12.7	14.5	
McPherson.....	297	10.8	310	11.2	344	12.0	336	11.7	344	11.6	11.5	
Meade.....	53	11.9	65	14.8	53	12.0	53	12.0	53	11.4	12.4	
Miami.....	225	8.7	254	9.7	247	9.3	228	8.4	265	9.3	9.1	
Mitchell.....	124	17.5	106	15.1	111	16.0	100	14.4	110	15.9	15.8	
Montgomery.....	485	13.0	473	12.7	473	12.8	472	12.8	486	13.4	12.9	
Morris.....	85	13.4	83	13.4	82	13.3	75	12.1	83	13.6	13.2	
Morton.....	34	10.3	29	8.6	34	9.9	22	6.3	33	9.4	8.9	
Nemaha.....	158	15.2	145	14.1	154	15.2	138	13.6	158	14.7	14.6	
Neosho.....	213	12.6	192	11.3	204	12.2	205	12.3	207	12.2	12.1	
Ness.....	64	17.5	55	15.1	44	12.2	39	10.9	61	17.7	14.7	
Norton.....	73	12.7	70	12.0	89	15.5	83	14.7	81	13.6	13.7	
Osage.....	182	10.9	187	10.9	166	9.7	181	10.5	171	10.2	10.4	
Osborne.....	85	18.5	75	16.6	71	15.1	79	17.2	74	16.6	16.8	
Ottawa.....	88	15.1	82	14.1	66	11.2	95	16.1	68	11.0	13.5	
Pawnee.....	72	9.6	91	12.6	82	11.0	85	11.8	102	14.1	11.8	
Phillips.....	95	15.3	93	15.3	79	13.0	83	13.9	84	14.0	14.3	
Pottawatomie.....	167	9.3	166	9.1	165	8.8	176	9.3	173	9.5	9.2	
Pratt.....	118	12.1	115	11.8	122	12.6	115	12.1	128	13.3	12.4	
Rawlins.....	45	13.9	39	12.1	39	12.5	42	13.9	48	16.2	13.7	
Reno.....	638	10.1	633	10.1	685	10.8	697	10.9	699	10.8	10.5	
Republic.....	103	16.5	94	15.3	102	16.7	107	17.9	109	18.7	17.0	
Rice.....	119	11.8	128	12.8	130	12.5	132	12.9	136	12.6	12.5	
Riley.....	289	4.5	258	4.1	281	4.1	323	5.1	296	4.7	4.5	
Rooks.....	91	15.6	92	16.1	70	12.4	83	14.8	70	12.3	14.2	
Rush.....	48	13.6	67	19.5	51	14.9	60	17.8	54	15.2	16.2	
Russell.....	104	13.6	108	14.2	89	11.8	114	15.3	106	14.4	13.9	
Saline.....	490	9.5	530	10.3	500	9.7	480	9.3	493	9.2	9.6	
Scott.....	69	13.7	50	10.0	62	12.4	55	11.1	58	11.3	11.7	
Sedgwick.....	3,442	8.1	3,434	7.8	3,640	8.1	3,477	7.7	3,626	8.0	7.9	
Seward.....	122	6.1	138	6.8	131	6.6	124	6.2	160	7.1	6.6	
Shawnee.....	1,658	10.1	1,580	9.6	1,617	9.8	1,721	10.1	1,757	10.3	10.0	
Sheridan.....	33	12.0	35	12.7	26	9.5	41	15.3	27	9.6	11.8	
Sherman.....	77	11.4	70	10.6	72	11.1	77	11.8	73	10.8	11.1	
Smith.....	82	17.3	84	18.0	70	15.3	81	17.7	76	16.8	17.0	
Stafford.....	78	15.2	91	17.8	82	16.4	70	14.0	74	15.5	15.8	
Stanton.....	16	7.0	18	7.7	23	10.2	18	8.1	26	10.8	8.8	
Stevens.....	47	8.8	53	9.8	37	6.9	38	7.0	52	9.5	8.4	
Sumner.....	277	10.3	298	11.0	297	11.0	292	10.7	308	11.9	11.0	
Thomas.....	92	11.0	84	10.3	75	9.3	81	10.2	78	9.5	10.1	
Trego.....	54	15.7	51	15.3	49	14.9	60	18.4	49	14.8	15.8	
Wabaunsee.....	64	9.6	61	9.1	80	12.0	80	12.2	75	10.9	10.8	
Wallace.....	18	9.9	21	11.7	17	9.4	20	11.1	19	10.9	10.6	
Washington.....	96	14.2	102	15.5	93	14.3	98	15.1	99	15.3	14.9	
Wichita.....	26	9.5	11	4.1	23	8.7	22	8.5	26	10.3	8.2	
Wilson.....	158	15.3	151	14.7	148	14.5	152	14.7	169	16.4	15.1	
Woodson.....	59	14.8	55	13.8	61	15.3	59	15.1	55	14.5	14.7	
Wyandotte.....	1,706	11.1	1,640	10.7	1,496	9.8	1,624	10.7	1,532	9.7	10.4	
Peer Group												
Frontier	1,369	13.7	1,352	13.6	1,316	13.3	1,379	14.2	1,331	13.5	13.7	
Rural	3,803	13.1	3,855	13.3	3,732	12.9	3,728	13.0	3,813	13.1	13.1	
Densely -Settled Rural	4,288	10.2	4,297	10.2	4,382	10.4	4,485	10.5	4,541	10.5	10.4	
Semi-Urban	4,657	8.9	4,685	9.0	4,776	9.0	4,779	9.0	4,877	9.1	9.0	
Urban	9,671	7.8	9,420	7.4	9,722	7.5	10,009	7.6	10,114	7.6	7.6	

* Rate per 1,000 population

** See Technical Notes for Peer Group definition.

Table 36
Deaths By Number And Rate*
By Selected City Of Residence
Kansas, 1996-2000

City of Residence	Year										5-Year Rate	
	1996		1997		1998		1999		2000			
	Number	Rate										
Abilene.....	89	13.7	97	14.9	101	15.5	108	16.6	97	14.8	15.1	
Andover.....	45	9.6	45	9.4	38	7.6	53	10.6	62	9.3	9.3	
Anthony.....	44	19.1	47	20.4	29	12.6	42	19.1	43	17.6	17.8	
Arkansas City.....	160	12.5	159	12.5	158	12.5	171	13.4	194	16.2	13.4	
Atchison.....	129	12.6	135	13.1	160	15.1	148	14.0	141	13.8	13.7	
Augusta.....	110	12.0	112	11.9	111	11.6	109	11.1	129	15.3	12.4	
Baldwin City.....	26	7.9	34	10.3	36	10.6	15	4.2	34	10.0	8.6	
Baxter Springs.....	56	12.2	62	13.5	68	14.8	69	15.0	74	16.1	14.3	
Belleville.....	71	29.6	41	17.1	67	27.9	60	26.1	74	33.1	26.8	
Beloit.....	81	20.3	72	18.0	65	16.7	63	16.2	73	18.2	17.9	
Bonner Springs.....	70	11.5	55	9.2	47	7.8	68	11.3	50	7.4	9.4	
Burlington.....	34	12.1	35	12.5	39	13.9	26	9.3	43	15.4	12.6	
Chanute.....	144	15.3	128	13.6	133	14.3	124	13.3	129	13.7	14.0	
Cherryvale.....	37	15.4	42	17.5	39	16.3	39	17.0	36	15.1	16.3	
Clay Center.....	83	17.7	93	20.2	71	15.4	75	16.7	66	14.5	16.9	
Coffeyville.....	180	14.4	191	15.4	180	14.6	165	13.5	179	16.2	14.8	
Colby.....	74	13.7	66	12.5	55	10.4	69	13.3	59	10.8	12.1	
Columbus.....	58	17.1	54	15.9	47	13.8	64	18.8	57	16.8	16.5	
Concordia.....	107	18.8	83	14.6	103	18.4	92	16.4	110	19.3	17.5	
Derby.....	123	8.0	118	7.4	129	7.9	126	7.7	114	6.4	7.5	
Dodge City.....	174	7.7	192	8.5	185	8.2	202	8.9	188	7.5	8.2	
Edwardsville.....	56	14.7	53	14.3	56	15.1	62	16.8	48	11.6	14.5	
EI Dorado.....	150	11.1	141	10.3	149	10.6	170	11.9	167	13.9	11.6	
Ellinwood.....	35	15.9	26	11.8	21	9.5	27	11.7	30	13.9	12.6	
Emporia.....	263	10.4	242	9.7	220	8.8	222	9.0	253	9.5	9.5	
Eudora.....	39	11.8	28	8.5	54	15.9	46	12.8	53	12.3	12.3	
Eureka.....	72	23.2	73	24.3	73	23.5	68	22.7	53	18.2	22.4	
Fairway.....	20	4.2	37	7.6	29	5.8	31	6.0	30	7.6	6.2	
Fort Scott.....	160	18.8	137	16.1	153	18.0	140	16.7	168	20.2	18.0	
Fredonia.....	50	19.2	44	16.9	54	20.8	50	19.2	55	21.2	19.5	
Frontenac.....	42	16.2	36	13.8	52	20.0	35	13.5	42	14.0	15.5	
Galena.....	62	17.7	63	18.0	51	14.6	42	12.0	52	15.8	15.6	
Garden City.....	169	6.5	163	6.2	178	6.7	165	6.0	196	6.9	6.5	
Garnett.....	50	15.2	58	17.6	63	19.1	44	13.3	61	18.1	16.7	
Girard.....	51	17.6	50	17.9	47	16.2	52	17.9	68	24.5	18.8	
Goodland.....	61	12.7	61	13.0	66	14.0	58	12.3	63	12.7	12.9	
Great Bend.....	162	10.9	168	11.4	190	13.1	214	14.3	193	12.6	12.5	
Hays.....	152	8.5	151	8.4	170	9.4	166	9.2	155	7.7	8.6	
Haysville.....	66	7.5	72	7.9	73	7.8	91	9.7	73	8.6	8.3	
Herington.....	45	16.1	36	12.9	64	22.9	53	18.9	39	15.2	17.2	
Hesston.....	29	9.7	41	13.2	51	15.5	49	14.8	48	13.7	13.4	
Hiawatha.....	69	19.2	62	17.2	52	14.4	52	14.9	58	17.0	16.5	
Hillsboro.....	44	16.3	47	17.4	40	13.8	43	15.4	54	18.9	16.4	
Hosington.....	50	16.7	37	12.3	41	13.7	40	12.9	50	16.8	14.5	
Holton.....	60	18.2	66	20.0	65	19.1	68	20.0	56	16.7	18.8	
Hugoton.....	35	10.3	39	11.5	28	8.2	27	7.9	39	10.5	9.7	
Hutchinson.....	415	10.5	409	10.3	486	12.2	484	12.1	515	12.6	11.5	
Independence.....	149	15.5	135	14.2	133	14.0	142	15.1	135	13.7	14.5	
Iola.....	91	14.2	90	14.3	86	13.7	94	14.9	102	16.2	14.7	
Junction City.....	153	8.6	149	8.7	192	11.2	190	11.2	170	9.0	9.7	
Kansas City.....	1,567	11.1	1,517	10.8	1,371	9.7	1,485	10.6	1,418	9.7	10.4	

Table 36

89

Deaths By Number And Rate*
 By Selected City Of Residence
 Kansas, 1996-2000

City of Residence	Year										5-Year Rate	
	1996		1997		1998		1999		2000			
	Number	Rate										
Kingman.....	55	16.7	59	17.9	42	12.7	72	21.8	48	14.2	16.7	
Lansing.....	47	6.1	56	7.2	61	7.7	56	7.1	60	6.5	6.9	
Larned.....	55	12.5	62	14.4	59	13.4	70	16.3	77	18.2	15.0	
Lawrence.....	388	5.4	316	4.3	360	4.8	371	4.7	381	4.8	4.8	
Leavenworth.....	284	6.8	288	6.9	280	6.6	297	6.9	248	7.0	6.8	
Leawood.....	130	5.8	120	5.2	144	6.1	161	6.6	158	5.7	5.9	
Lenexa.....	230	5.9	176	4.4	199	4.8	246	5.8	281	7.0	5.6	
Liberal.....	112	6.3	118	6.6	117	6.6	112	6.3	144	7.3	6.6	
Lindsborg.....	34	11.0	43	13.9	57	17.8	55	16.7	62	18.7	15.6	
Lyons.....	56	16.0	54	15.4	58	16.1	60	16.7	66	17.7	16.4	
Manhattan	225	6.0	192	5.2	191	5.1	238	6.4	228	5.1	5.6	
Marysville.....	74	23.1	62	19.4	57	17.8	58	18.7	51	15.6	18.9	
McPherson.....	108	8.6	130	10.3	120	9.2	137	10.5	147	10.7	9.9	
Medicine Lodge.....	45	19.6	44	19.1	44	20.0	39	17.7	34	15.5	18.4	
Merriam.....	92	6.8	100	7.2	95	6.6	92	6.3	91	8.3	7.0	
Mission.....	73	6.7	77	6.9	88	7.7	78	6.6	86	8.8	7.3	
Mission Hills.....	25	6.3	18	4.4	24	5.7	19	4.4	21	5.8	5.3	
Mulvane	55	11.2	48	9.4	56	10.8	48	9.2	47	9.1	9.9	
Neodesha.....	57	19.7	66	23.6	49	17.5	51	17.6	56	19.7	19.6	
Newton.....	182	10.8	200	11.8	192	10.4	197	10.7	212	12.3	11.2	
Norton.....	52	17.9	48	16.0	57	19.7	62	21.4	54	17.9	18.6	
Olathe.....	328	4.5	323	4.3	371	4.8	398	5.1	394	4.2	4.6	
Osage City.....	27	9.3	30	10.0	34	11.3	51	17.0	38	12.5	12.0	
Ossawatomie.....	76	14.9	59	11.6	80	15.4	60	11.3	80	17.2	14.1	
Ottawa.....	157	13.8	158	13.7	173	14.4	143	11.7	146	12.2	13.2	
Overland Park.....	791	6.2	790	6.0	844	6.2	938	6.8	930	6.2	6.3	
Paola.....	54	10.4	80	15.4	70	13.2	62	11.5	67	13.4	12.8	
Parsons.....	167	14.5	180	15.7	173	14.9	148	12.9	206	17.9	15.2	
Phillipsburg.....	45	16.7	41	15.8	38	14.6	42	16.2	47	17.6	16.2	
Pittsburg.....	221	12.1	241	13.4	224	12.3	223	12.3	224	11.6	12.3	
Plainville.....	36	17.1	43	20.5	26	13.0	37	18.5	24	11.8	16.2	
Prairie Village.....	197	7.4	201	7.4	193	6.9	201	7.0	196	8.9	7.5	
Pratt.....	101	15.1	88	13.1	93	13.9	89	13.5	105	16.0	14.3	
Roeland Park.....	46	5.2	43	4.7	47	5.1	55	5.7	38	5.6	5.3	
Russell.....	61	13.0	75	16.0	60	13.0	70	15.2	64	13.6	14.2	
Salina.....	454	10.2	480	10.8	455	10.3	445	10.1	452	9.9	10.3	
Scott City.....	57	15.8	44	12.2	50	13.9	51	14.6	54	14.0	14.1	
Shawnee.....	230	5.3	246	5.5	231	5.0	265	5.6	238	5.0	5.3	
Topeka.....	1,450	11.8	1,403	11.4	1,399	11.4	1,477	11.6	1,524	12.5	11.7	
Ulysses.....	40	6.8	52	8.7	48	7.9	40	6.7	55	9.2	7.9	
Valley Center.....	30	7.9	33	8.5	46	11.5	34	8.3	36	7.4	8.7	
Wamego.....	44	10.7	40	9.5	50	11.6	46	10.5	42	9.9	10.4	
Wellington.....	111	12.6	111	12.6	96	10.9	111	12.6	124	14.3	12.6	
Wichita.....	2,921	9.2	2,916	8.8	3,081	9.1	2,918	8.6	3,117	9.1	9.0	
Winfield.....	147	12.3	150	12.6	158	13.5	188	15.8	160	13.1	13.5	

*Rate per 1,000 population

Death Rates

Kansas and the U.S., 1960-2000




Figure 31

Table 37
Age-Specific Death Rates* By Sex
Kansas, 1991-2000

Age-Group and Sex	Year									
	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000
Both Sexes										
Total.....	9.0	8.7	9.2	9.0	9.2	9.2	9.0	9.1	9.2	9.2
Under 1.....	9.1	8.9	8.9	7.8	7.1	8.4	7.5	7.1	7.5	7.0
1-4.....	0.5	0.5	0.4	0.4	0.4	0.5	0.4	0.4	0.4	0.4
5-14.....	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.2	0.2	0.2
15-24.....	1.0	0.9	0.9	1.0	0.9	1.0	0.9	0.9	0.8	0.8
25-34.....	1.2	1.0	1.1	1.2	1.1	1.1	1.0	1.0	1.0	0.9
35-44.....	1.6	1.7	1.6	1.7	1.7	1.7	1.7	1.7	1.6	1.7
45-54.....	4.0	3.8	3.7	3.7	3.9	3.5	3.7	3.6	3.8	3.6
55-64.....	10.6	10.0	10.4	9.6	9.8	10.1	9.7	9.4	9.9	9.3
65-74.....	24.4	23.4	24.5	24.1	24.5	24.4	23.4	23.7	24.0	23.1
75-84.....	55.0	53.6	57.2	55.5	55.9	54.2	54.4	54.1	54.7	55.9
85 and over.....	144.9	142.8	153.3	150.2	154.9	153.4	152.3	154.3	154.2	160.5
Male										
Total.....	9.2	8.8	9.3	9.0	9.2	9.1	9.1	8.9	8.9	8.8
Under 1.....	10.5	9.8	9.0	9.0	7.7	9.4	8.3	7.7	8.7	7.5
1-4.....	0.6	0.5	0.5	0.4	0.5	0.5	0.6	0.5	0.5	0.5
5-14.....	0.3	0.2	0.3	0.3	0.2	0.3	0.2	0.3	0.2	0.2
15-24.....	1.3	1.2	1.3	1.4	1.2	1.4	1.3	1.3	1.2	1.2
25-34.....	1.6	1.4	1.6	1.8	1.6	1.6	1.4	1.5	1.3	1.3
35-44.....	2.1	2.2	2.1	2.1	2.3	2.3	2.0	2.2	2.0	2.1
45-54.....	4.9	4.8	4.7	4.7	4.9	4.3	4.7	4.6	4.6	4.5
55-64.....	13.8	13.0	13.1	12.2	12.3	12.3	12.3	11.5	11.9	11.1
65-74.....	32.5	30.9	32.0	31.6	30.7	30.8	30.3	30.3	30.5	27.8
75-84.....	74.7	69.1	75.9	70.2	73.4	70.3	71.0	68.0	67.8	70.3
85 and over.....	172.1	171.4	179.9	176.6	179.4	178.3	175.1	173.6	170.2	187.4
Female										
Total.....	8.7	8.7	9.2	9.1	9.3	9.2	9.0	9.2	9.4	9.5
Under 1.....	7.6	8.0	8.8	6.6	6.5	7.4	6.7	6.4	6.3	6.4
1-4.....	0.4	0.5	0.3	0.4	0.3	0.5	0.2	0.4	0.4	0.4
5-14.....	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2
15-24.....	0.6	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.4
25-34.....	0.7	0.6	0.6	0.7	0.6	0.6	0.6	0.6	0.7	0.5
35-44.....	1.1	1.1	1.2	1.2	1.0	1.1	1.3	1.1	1.2	1.3
45-54.....	3.1	2.9	2.8	2.9	3.0	2.7	2.6	2.6	2.9	2.7
55-64.....	7.7	7.2	7.8	7.3	7.4	8.0	7.2	7.3	8.0	7.6
65-74.....	17.9	17.3	18.5	18.0	19.4	19.2	17.6	18.2	18.7	19.2
75-84.....	43.1	44.2	45.6	46.4	44.9	43.9	43.7	45.1	46.0	46.4
85 and over.....	134.6	131.9	143.1	140.0	145.3	143.5	143.1	146.4	147.5	150.0


*Rate per 1,000 age-group population

Rates may differ from those published in reports prior to 1999.

Residence data

Age-Adjusted Death Rates*

Kansas and the U.S., 1991-2000



*Rate per 1,000 Standard
U.S. 2000 Population

** Rates are provisional
2000 Rate Not Available
Residence Data

Figure 32

Table 38
Age-Adjusted Death Rates* By Sex
Kansas And The U.S., 1991-2000

Year	Kansas			U.S.**		
	Total	Male	Female	Total	Male	Female
1991.....	8.5	11.0	6.8	9.3	11.8	7.4
1992.....	8.3	10.5	6.7	9.1	11.6	7.3
1993.....	8.7	11.0	7.1	9.3	11.8	7.5
1994.....	8.5	10.6	7.0	9.2	11.6	7.5
1995.....	8.6	10.8	7.1	9.2	11.5	7.5
1996.....	8.5	10.6	7.0	9.0	11.2	7.4
1997.....	8.4	10.5	6.8	8.9	10.9	7.4
1998.....	8.4	10.3	6.9	8.8	10.6	7.3
1999.....	8.5	10.2	7.2	8.8	10.6	7.4
2000.....	8.5	10.3	7.2	n.a.	n.a.	n.a.

* Rate per 1,000 standard U.S. 2000 population (see Technical Notes)

Rates will differ from those published prior to 1999 because they have been recalculated using the 2000 U.S. standard population.

** Rates are provisional.
Residence data

Average Age At Death By County Of Residence Kansas, 2000




Figure 33